



Caravelle





Caravelle Specifications

X = standard O = optional - = not available

| Caravelle Specification | Caravelle Pan Americana 2.0 BiTDI® 132kW DSG® 4MOTION® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® 4MOTION® SWB |
|---|---|---|--|
| Engine | | | |
| Cylinders | 4 | 4 | 4 |
| Capacity (cm³) | 1968 | 1968 | 1968 |
| Output (kW @ r/min) | 132 @ 4000 | 132 @ 4000 | 132 @ 4000 |
| Torque (Nm @ r/min) | 400 @ 1500-2000 | 400 @ 1500-2000 | 400 @ 1500-2000 |
| CO ₂ emissions (g/km)* | 219 | 214 | 219 |
| Transmission | | | |
| 7-speed DSG® | X | X | X |
| Performance | | | |
| Acceleration in seconds (0-100 km/h) | 12,1 | 11,3 | 12,1 |
| Top speed (km/h) | 188 | 191 | 188 |
| Fuel Consumption | | | |
| Urban cycle (litres/100km)* | 11,1 | 10,0 | 11,1 |
| Extra-urban cycle (litres/100km)* | 7,5 | 6,7 | 7,5 |
| Combined cycle (litres/100km)* | 8,8 | 7,9 | 8,8 |
| Running Gear | | | |
| Standard suspension and shock absorption | X | X | X |
| Brakes | | | |
| ESC (Electronic Stability Control) | X | X | X |
| ABS (Anti-lock Braking System) | X | X | X |
| MCB (Automatic Post-collision Braking System) | X | X | X |
| ASR (Anti-slip Regulation) | X | X | X |
| EDL (Electronic Differential Lock) | X | X | X |
| TCS (Traction Control System) | X | X | X |
| Hill-hold control | X | X | X |
| Mechanical rear differential lock | X | - | X |
| Wheelrims / Tyres | | | |
| 17" 'Devonport' alloy wheels | X | - | - |
| 17" 'Cascavel' alloy wheels | - | X | X |
| Tyres 235/55 R17 103W XL | X | X | X |
| Full-sized spare wheel (steel) | X | X | X |
| Toolkit with jack | X | X | X |
| Dimensions / Capacities | | | |
| Fuel tank (litres) | 80 | 80 | 80 |
| Length (mm) | 5006 | 5006 | 5006 |
| Width excl. mirrors (mm) | 1904 | 1904 | 1904 |
| Width incl. mirrors (mm) | 2297 | 2297 | 2297 |
| Height (mm) | 1970 | 1950 | 1950 |
| Wheelbase (mm) | 3000 | 3000 | 3000 |
| Overhang - front (mm) | 908 | 908 | 908 |
| Overhang - rear (mm) | 993 | 993 | 993 |

Caravelle Specifications

X = standard O = optional - = not available

| Caravelle Specification | Caravelle Pan Americana 2.0 BiTDI® 132kW DSG® 4MOTION® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® 4MOTION® SWB |
|--|---|---|--|
| Dimensions / Capacities (continued) | | | |
| Ground clearance (mm) | 193 | 178 | 178 |
| Approach angle (degrees) | 19,8 | 21,8 | 21,8 |
| Ramp angle (degrees) | 14,5 | 13,7 | 13,7 |
| Departure angle (degrees) | 16,5 | 17,0 | 17,0 |
| Turning circle (m) | 11,9 | 11,9 | 11,9 |
| Passenger compartment length (mm) | 2532 | 2532 | 2532 |
| Passenger compartment width (mm) | 1220 | 1220 | 1220 |
| Passenger compartment height (mm) | 1320 | 1320 | 1320 |
| Passenger and load compartment, area (m²) | 4,3 | 4,3 | 4,3 |
| Sliding doors, width x height (mm) | 1011 x 1247 | 1011 x 1247 | 1011 x 1247 |
| Tailgate, width x height (mm) | 1438 x 1262 | 1438 x 1262 | 1438 x 1262 |
| Gross Vehicle Mass (GVM) (kg) | 3080 | 3080 | 3080 |
| Unladen weight, minimum (kg) | 2184 | 2055 | 2184 |
| Payload, maximum (kg) | 896 | 1025 | 896 |
| Axle load limit - Front/Rear (kg) | 1610 / 1515 | 1610 / 1515 | 1610 / 1515 |
| Trailer weight, 12% gradient - Braked/Unbraked (kg) | 2500 / 750 | 2500 / 750 | 2500 / 750 |
| Gross train weight (kg), 12% gradient | 5300 | 5300 | 5300 |
| Roof load limit (kg) | 100 | 100 | 100 |
| Trailer nose weight (kg) | 100 | 100 | 100 |
| Seats | | | |
| Number of seats | 7 | 7 | 7 |
| 2 swivel seats in 2nd row of seats (with longitudinal adjustment on rail system) | X | X | X |
| 3-seater bench in 3rd row of seats (moveable, with reclining seat mechanism and storage compartment) | X | X | X |
| Comfort seat for driver and front passenger | X | X | X |
| Armrests for driver and front passenger seats | X | X | X |
| Height adjustment for driver and front passenger seats | X | - | - |
| 12-way power adjustment for front seats with memory function for driver's seat | - | X | X |
| Seat heater for driver and front passenger seats (separately controlled) | X | X | X |
| Lumbar support for driver and front passenger seats (Electrically adjustable on Highline) | X | X | X |
| Height-adjustable whiplash head restraints - front | X | X | X |
| Height- and angular-adjustable whiplash head restraints - rear | X | X | X |
| 'Nappa' leather** seat trim covers | O | X | X |
| Seat trim covers in fabric "Black & White" | X | - | - |
| Windows | | | |
| Electric windows | X | X | X |
| Heated rear window with window wiper and washer system | X | X | X |
| Sliding windows in front of passenger area | X | X | X |

Caravelle Specifications

X = standard O = optional - = not available

| Caravelle Specification | Caravelle Pan Americana 2.0 BiTDI® 132kW DSG® 4MOTION® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® 4MOTION® SWB |
|---|--|--|---|
| Windows (continued) | | | |
| Fixed windows in rear of passenger area | X | X | X |
| Heat-insulating windshield made of laminated glass | X | X | X |
| Dark tinted glass all around | X | X | X |
| Mirrors | | | |
| Electrically adjustable, heated and folding exterior mirrors | X | X | X |
| Wiper System | | | |
| Intermittent wiper control with rain sensor | X | X | X |
| Washer fluid level indicator | X | X | X |
| Headlamp washer system with heated front washer nozzles | X | X | X |
| Safety | | | |
| Driver and front passenger airbags (incl. front passenger deactivation) | X | X | X |
| Side and curtain airbags for driver and front passenger | X | - | - |
| Side and curtain airbags for driver and front passenger with curtain airbags in passenger area | O | X | X |
| Park Distance Control (front and rear) with rear-view camera | X | X | X |
| Rest Assist (fatigue detection) | X | X | X |
| Side Assist (blind spot monitoring) | - | X | X |
| Warning buzzer and light for driver seatbelt not fastened | X | X | X |
| ISOFIX child seat anchorage points | X | X | X |
| Child lock for sliding doors in passenger area | X | X | X |
| First Aid kit and warning triangle | X | X | X |
| Security | | | |
| Anti-theft alarm system with interior monitoring, back-up horn and towing protection | X | X | X |
| Remote-controlled central locking with interior release mechanism and SAFELOCK | X | X | X |
| Two-tone horn | X | X | X |
| Audio and Communication | | | |
| 'Composition Media' radio with touchscreen, App-Connect and USB (iPod, iPad and iPhone capable) | X | - | - |
| 'Discover Media' navigation system with touchscreen | O | X | X |
| Cellphone interface | X | X | X |
| USB (iPod, iPad and iPhone capable) and AUX-in jack with 'Discover Media' | X | X | X |
| 6 speakers | X | X | X |
| Interior Features | | | |
| Climatronic airconditioning system | X | X | X |
| Servotronic® power steering (speed-sensitive) | X | X | X |
| Cruise control | X | X | X |
| Height and depth-adjustable steering column | X | X | X |
| Multi-function leather** steering wheel | X | X | X |
| Leather** gearshift knob | X | X | X |

Caravelle Specifications

X = standard O = optional - = not available

| Caravelle Specification | Caravelle Pan Americana 2.0 BiTDI® 132kW DSG® 4MOTION® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® 4MOTION® SWB |
|---|--|--|---|
| Interior Features (continued) | | | |
| Multi-function display (Colour on Highline) | X | X | X |
| Dimmable dashboard illumination | X | X | X |
| Sunvisors with mirror (illuminated) | X | X | X |
| Interior lighting | X | X | X |
| Sunshades for side windows in passenger area | X | X | X |
| Allergen filter | X | X | X |
| Comfort dashboard with wide centre console and bottle holder | X | X | X |
| Smokers' package: 12V socket with cigarette lighter, ashtray and 2 cupholders in dashboard | X | X | X |
| Decorative insert in 'Brushed Dark Silver' and decorative strip in 'Anthracite Metallic' on dashboard | X | - | - |
| Decorative insert in 'Structural X' and decorative strip in 'Glossy Black' on dashboard | - | X | X |
| Door pockets with 2 compartments each, integrated bottle holders and insert mats in cab doors | X | X | X |
| Fold-away grab handles at roof frame | X | X | X |
| Grab handles as entry aids on A-pillars | X | X | X |
| Comfort side panel trim in passenger area | X | - | - |
| Carpet floor covering in cab and passenger area | X | X | X |
| Floor mats in cab | X | X | X |
| Step illumination with 'Caravelle' or 'Pan Americana' nameplate | X | X | X |
| Step lighting at doors in cab and sliding doors in passenger area | X | X | X |
| Centre table (with separate guide rails in the floor) | O | X | X |
| Luggage compartment cover | X | X | X |
| Loading edge protection (plastic on Comfortline, stainless steel on Highline) | X | X | X |
| Lashing rings for load restraint system | 6 | 6 | 6 |
| Exterior Features | | | |
| Manually operated sliding doors - left and right | X | - | - |
| Manually operated sliding doors, power latching - left and right | X | - | - |
| Electrically operated sliding doors - left and right | - | X | X |
| Body-coloured bumpers | X | X | X |
| Partially body-coloured bumpers | X | - | - |
| Body-coloured exterior mirror housings and door handles (mirror base in high-gloss black on Highline) | X | X | X |
| Halogen twin headlamps | X | - | - |
| LED headlamps with separate LED daytime running lights | O | X | X |
| Automatic headlamp activation with separate daytime running lights and 'Coming/Leaving Home' function | X | X | X |
| Headlight-range adjustment (manual) | X | - | - |
| Headlight-range adjustment (automatic) | O | X | X |
| Rear fog light | X | X | X |
| Front fog lamps (incl. static cornering light) | X | X | X |

Caravelle Specifications

X = standard O = optional - = not available

| Caravelle Specification | Caravelle Pan Americana 2.0 BiTDI® 132kW DSG® 4MOTION® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® 4MOTION® SWB |
|---|---|---|--|
| Exterior Features (continued) | | | |
| Red LED tail lights | - | X | X |
| Dark-tinted LED rear combination lamps | X | - | - |
| Chrome mouldings on vehicle sides, tailgate and turn signals | X | X | X |
| Chrome mouldings on turn signals | X | - | - |
| Black radiator grille with 3 chrome mouldings with chrome in lower radiator grille on Highline and Pan Americana | X | X | X |
| Power opening/closing and latching for tailgate | - | X | X |
| Detachable towbar (incl. trailer stabilisation) | X | X | X |
| Mounting points for roof rack systems | 8 | 8 | 8 |
| Options | | | |
| 'Alcantara' leather** seat trim covers | - | O | O |
| Seat trim covers in 'Nappa' leather** bi-colour (insert and bolsters) | O | - | - |
| Dark tinted glass all around | X | X | X |
| Side and curtain airbags for driver and front passenger with curtain airbags in passenger area | O | X | X |
| 'Discover Media' navigation system with touchscreen (iPod, iPad and iPhone capable) | O | X | X |
| Centre table (with separate guide rails in the floor) | O | X | X |
| Cooling/warming box (32 litres) plus second battery | O | O | O |
| 'Heritage' dual-colour paint | - | O | O |
| Decorative insert in 'Linearus' and decorative strip in 'Glossy Black' on dashboard | - | O | O |
| Decorative insert in 'Structural X' and decorative strip in body colour (lower colour with 'Heritage' paint finish) | - | O | O |
| Decorative insert in 'Linearus' and decorative strip in body colour (lower colour with 'Heritage' paint finish) | - | O | O |
| Electric sunroof (sliding and tilting) with sunblind in cab | O | O | O |
| Electrically operated sliding doors - left and right | - | X | X |
| LED headlamps and tail lights (incl. automatically controlled headlight-range adjustment) | O | X | X |

Caravelle Specifications

X = standard O = optional - = not available

| Caravelle Specification | Caravelle Pan Americana 2.0 BiTDI® 132kW DSG® 4MOTION® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® SWB | Caravelle Highline 2.0 BiTDI® 132kW DSG® 4MOTION® SWB |
|--|---|---|--|
| Guarantees | | | |
| 3-year / 120,000 km manufacturer warranty | X | X | X |
| 5-year / 60,000 km Genuine AutoMotion Maintenance Plan | X | X | X |
| 15,000 km service intervals | X | X | X |
| 12-year anti-corrosion warranty | X | X | X |

Disclaimer

1. Dimensions, capacities and abilities apply to standard vehicles.
2. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.
3. This information was effective as at 01 August 2019 valid for model year 20 and is subject to change without notice.

Vehicle Tare mass given at 90% tank filling without driver (75kg). Selected optional extras increase the unloaded weight of the vehicle.

*Fuel Consumption and Carbon Dioxide Emission Figures

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.

**A combination of leather and high quality durable materials.





This information was effective as at 01 August 2019
valid for model year 20 and is subject to change
without notice.

Visit us at vw.co.za
©Volkswagen South Africa